

---

# **FAANGMine Documentation**

***Release 1.6***

**Elsik Lab**

**Jun 01, 2021**



---

## Table of Contents

---

<b>1</b>	<b>Overview of FAANGMine</b>	<b>3</b>
<b>2</b>	<b>Navigation and Searching in FAANGMine</b>	<b>5</b>
2.1	Quick Search . . . . .	5
2.2	Templates . . . . .	7
2.2.1	Generate query code . . . . .	7
2.2.2	Download results . . . . .	8
2.2.3	Customize output and manage columns . . . . .	8
2.2.4	Optional filters . . . . .	12
2.3	QueryBuilder . . . . .	12
2.3.1	Model browser . . . . .	13
2.3.2	QueryBuilder Examples . . . . .	13
2.3.2.1	Example 1: Querying for protein coding genes . . . . .	13
2.3.2.2	Example 2: Querying for protein coding genes on a particular chromosome . . . . .	15
2.3.2.3	Example 3: Querying for Protein Coding genes on a particular chromosome and their exons . . . . .	18
<b>3</b>	<b>Report Pages</b>	<b>23</b>
3.1	Summary . . . . .	23
3.2	Transcripts . . . . .	23
3.3	Proteins . . . . .	25
3.4	Function . . . . .	25
3.5	Homology . . . . .	25
3.6	Interactions . . . . .	25
3.7	Publications . . . . .	28
3.8	Other . . . . .	28
<b>4</b>	<b>Genomic Regions Search</b>	<b>29</b>
<b>5</b>	<b>Lists</b>	<b>33</b>
5.1	Creating Lists . . . . .	33
5.2	Saving Lists . . . . .	36
<b>6</b>	<b>MyMine</b>	<b>39</b>
<b>7</b>	<b>API</b>	<b>41</b>

<b>8</b>	<b>Data Sources</b>	<b>43</b>
<b>9</b>	<b>How to cite</b>	<b>45</b>

**FAANGMine** is a data mining resource that integrates reference genome assemblies for cattle, horse, pig, sheep, chicken, cat, dog and water buffalo with many other biological data sets. Powered by [InterMine](#), this platform provides access to a number of datasets from a variety of source. It also provides customized bioinformatics tools that researchers can use to create their own custom datasets. FAANGMine is part of [FAANGMine.org](#). The FAANG (Functional Annotation of ANimal Genomes) Consortium is “a coordinated international action to accelerate genome to phenome” and aims to generate comprehensive maps of functional elements in genomes of domesticated animals. FAANGMine will integrate data generated by the FAANG Consortium for animal researchers with or without bioinformatic programming skills to use in their own research projects.



Main site: <http://faangmine.org/faangmine>

Link to the available datasets in FAANGMine: <http://128.206.116.34:8080/faangmine/dataCategories.do>

FAANGMine.org is based upon work supported by the National Science Foundation under Award Number 0054449. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation. FAANGMine is developed and hosted at the University of Missouri. If you have comments or if you wish to report a problem, please contact the Database Administrator.



# CHAPTER 1

---

## Overview of FAANGMine

---

This section provides a brief overview of the layout for FAANGMine.



The navigation panel highlights different functionalities of FAANGMine.

**Home** - The home page for FAANGMine

**MyMine** - The MyMine serves as a portal for account management. When logged in to FAANGMine Users can access their saved templates, most recent queries and saved lists.

**Templates** - List of templates that users can select from based on the nature of their query. Each template is a predefined query with a simple form containing a description of what input is expected and the type of output that will be generated.

**Lists** - Allows users to upload lists of genes on which they can perform enrichment analyses and export the results. Users that log in to FAANGMine can save their lists for future use.

**QueryBuilder** - A flexible interface that allows users to create their own custom query template while browsing the FAANGMine data models. Queries can be exported in a variety of formats to share with other users.

**Regions** - The Genomic Region Search tool where users can enter a series of genomic coordinates, specify flanking regions and fetch all features that fall within the given interval. The result can be exported or saved as a list for further analyses.

**Data Sources** - Provides a summary of all the data loaded into FAANGMine including their sources, associated publications and links to source sites.

**Help** - Links to the FAANGMine help docs and tutorials

**API** - Describes the InterMine API that allows users to programmatically access FAANGMine.





---

### Navigation and Searching in FAANGMine


---

There are several ways for users to query FAANGMine.

#### 2.1 Quick Search

**Quick Search** allows users to search keywords from any of the FAANGMine datasets. There is a Quick Search box on the FAANGMine home page or a smaller search box in the upper right corner of all pages.

**We are currently working to fix our Quick Search tool and hope to have it running again soon.**

The image shows a 'Quick Search' widget. It has a dark blue header with a magnifying glass icon and the text 'Quick Search'. Below the header, there is a text input area with a light gray border. Inside the input area, there is a placeholder text: 'Search FAANGMine. Enter names, identifiers or keywords for genes, proteins, ontology terms, authors, etc. (e.g. RCAN1, COX2, NM\_001040473.2, NP\_001076063.1, 282087, ENSFCAG00000031270, rs385910977, IL13)'. Below the input area, there is a dark blue button with the word 'SEARCH' in white capital letters. The entire widget is set against a light gray background.

**Quick Search**

Search FAANGMine. Enter names, identifiers or keywords for genes, proteins, ontology terms, authors, etc. (e.g. RCAN1, COX2, NM\_001040473.2, NP\_001076063.1, 282087, ENSFCAG00000031270, rs385910977, IL13)

e.g. IGF2, ENSBTAG00000013066

**SEARCH**

Fig. 1: Quick Search from home page




Fig. 2: Quick Search from any page

Quick Searches can be conducted with a number of identifiers including gene names, transcripts, pathways, gene identifiers or organisms. The wildcard character \* can be used to retrieve all results that match a particular search query.

For an example, we will use the lysozyme gene *LYZ* as an example. Enter *LYZ* in the search box and click **Search**. The results page is tabulated and displays a summary about your query, as shown below.

**Search our database by keyword**

LYZ

[Search](#)

**Examples**

- Search this entire website. Enter **identifiers, names or keywords** for genes, pathways, authors, ontology terms, etc. (e.g. *eve*, *embryo*, *zen*, *allele*)
- Use **OR** to search for either of two terms (e.g. *fly OR drosophila*) or quotation marks to search for phrases (e.g. "*dna binding*").
- Boolean search syntax** is supported: e.g. *dros\** for partial matches or *fly AND NOT embryo* to exclude a term

**Search results 1 to 40 out of 40 for *LYZ***

0.008s

**Categories**

**Hits by Category**

- Gene: 17
- mRNA: 14
- Protein: 7
- Publication: 2

**Hits by Organism**

- H. sapiens: 6
- B. taurus: 4
- C. lupus familiaris: 4
- E. caballus: 4
- F. catus: 4
- G. gallus: 4
- O. aries: 4
- S. scrofa: 4
- R. norvegicus: 2
- M. musculus: 1

Type	Details
Gene	<b>ENSG00000090382   -   <i>LYZ</i></b> Source: <b>Ensembl95</b> Length: Chromosome Location: [unknown] Organism: <b>H. sapiens</b>
Gene	<b>777776   -   <i>LYZ</i></b> Source: <b>RefSeq</b> Description: <b>lysozyme</b> Length: <b>8807</b> <a href="#">FASTA...</a> Chromosome Location: <b>5: 44506988-44515794</b> Organism: <b>B. taurus</b> Assembly: <b>ARS-UCD1.2</b>
Gene	<b>474442   -   <i>LYZ</i></b> Source: <b>RefSeq</b> Description: <b>lysozyme</b> Length: <b>4140</b> <a href="#">FASTA...</a> Chromosome Location: <b>10: 11346500-11350639</b> Organism: <b>C. lupus familiaris</b> Assembly: <b>CanFam3.1</b>

Fig. 3: Results table for Quick Search with the gene *LYZ*

Hits are summarized in the box to the left of the results tables and can be filtered based on **Category** and **Organism**. Clicking on any of them will filter by the selected category. Note that for results with sequence data available, the sequence can be downloaded in FASTA format by clicking on the FASTA box within the hit Details box. The score column in the result table indicates the similarity of your query to each of the hits. The results page can also be converted to a list (and saved if users are logged in). To enable this feature click on **Gene** in the **Hits by Category** then click on *C. lupus familiaris* in **Hits by Organism**.

After the table has been filtered for gene and organism, checkboxes will be available for users to select genes they would like to add to their list. Once the genes are selected, click on **CREATE LIST**. See the lists section for more detail on creating and saving lists.

**Search our database by keyword**

LYZ

Search (with current restrictions)
– or –
Search

**Examples**

- Search this entire website. Enter identifiers, names or keywords for genes, pathways, authors, ontology terms, etc. (e.g. *eve*, *embryo*, *zen*, *allele*)
- Use *OR* to search for either of two terms (e.g. *fly OR drosophila*) or quotation marks to search for phrases (e.g. *"dna binding"*).
- Boolean search syntax is supported: e.g. *dros\** for partial matches or *fly AND NOT embryo* to exclude a term

**Search results 1 to 2 out of 2 for LYZ**

Category restricted to Gene ✖

Organism restricted to *C. lupus familiaris* ✖

0.24s

**Categories**

Category: *Gene*

« show all

Organism: *C. lupus familiaris*

« show all

[CREATE LIST](#)

Type	Details
<input type="checkbox"/>	<div style="display: flex; justify-content: space-between;"> <span><b>474442</b></span> <span>–   –   <b>LYZ</b></span> </div> <div> <p><i>Source:</i> RefSeq</p> <p><i>Description:</i> lysozyme</p> <p><i>Length:</i> 4140 <a href="#">[FASTA...]</a></p> <p><i>Chromosome</i> 10: 11346500–11350639</p> <p><i>Location:</i></p> <p><i>Organism:</i> <i>C. lupus familiaris</i></p> <p><i>Assembly:</i> CanFam3.1</p> </div>
<input type="checkbox"/>	<div style="display: flex; justify-content: space-between;"> <span><b>ENSCAFG00000000426</b></span> <span>–   –   <b>LYZ</b></span> </div> <div> <p><i>Source:</i> Ensembl95</p> <p><i>Description:</i> lysozyme [Source:VGNC Symbol;Acc:VGNC:42901]</p> <p><i>Length:</i> 6080 <a href="#">[FASTA...]</a></p> <p><i>Chromosome</i> 10: 11346197–11352276</p> <p><i>Location:</i></p> <p><i>Organism:</i> <i>C. lupus familiaris</i></p> <p><i>Assembly:</i> CanFam3.1</p> </div>

Fig. 4: Results table for Quick Search with the gene *LYZ* filtered by gene then by organism ..

## 2.2 Templates

**Templates** or predefined queries are another search method within FAANGMine. Popular templates are displayed on the home page, grouped by category (e.g., Genes, Proteins, Interactions) and the complete list can be seen by clicking the **Templates** menu tab.

As an example, the **Gene -> Homologues** template queries FAANGMine to retrieves all homologue for a given gene. Here, we will do a search for the gene *GSTM1*.

The results page displays all of the homologues for that query gene. When logged in to FAANGMine, users can save their results as a list for further analyses by clicking on the **Save as List** button above the results table then choosing columns to save in their list. See the lists section for more detail on creating and saving lists. Note the “Trail: Query” text at the upper left of the results table. Clicking on the “Query” link will bring you back to the query that generated the table to allow for edits without having to start with a new template.

### 2.2.1 Generate query code

The code for each template query can be retrieved by clicking on the arrow next to **Generate Python Code** and choosing the desired language from the pull-down menu. The language options are Python, Perl, Java, Ruby, JavaScript, and XML.

Please contact us if you would like any additional template queries or if you have a concern about a query not completing.




Fig. 5: Popular templates


## 2.2.2 Download results

The search results from a template query can be downloaded by clicking the **Export** button above the table and choosing the desired format from the pull-down menu to the right of the File name field. Available formats are tab-separated values, comma-separated values, XML, and JSON. When the results contain genomic features, they may also be downloaded in FASTA, GFF3, or BED format. Other options may be specified in the submenu to the left of the download box. By default, all rows and all columns are downloaded, but individual columns may be included or excluded by clicking on the toggles next to the column headers in the **All Columns** submenu. The number of rows and row offset are set in the **All Rows** submenu. Download the results as a compressed file by choosing GZIP or ZIP format in the **Compression** submenu (default is **No Compression**). Column headers are not added by default but may be included under the **Column Headers** submenu. Finally, the **Preview** submenu displays the first three rows of the file to be downloaded so that the desired format and options may be finalized before beginning the download. When ready, click the **Download file** button to download the results.

## 2.2.3 Customize output and manage columns

To customize the results table layout, click the **Manage Columns** button. This allows users to rearrange, remove or order columns. Filters can be edited by clicking the **Manage Filters** button. To specify the entity relationships within the query and change the way the results are presented in the table, click **Manage Relationships**. Clicking on the **Manage Relationships** option bring also brings up a blue information panel (“What does this do?”) that provides more detailed information.

To further manage column data, each column has a set of icons in its header. Mousing over any icon will reveal what it does. The sort icon resembles two triangles and allows you to sort a column in either direction (ascending/descending; a->z, z->a). To delete any column from your table, click on the “x” icon. Alternatively, the three dots “...” can be selected to “Toggle column visibility” and hide the column. Once hidden, the icon turns into a double arrow that can be selected to expand the column into its original form. The next icon resembling a funnel can be selected to edit or remove any currently active filters. A summary of the data within a column can be viewed by clicking on the icon that resembles a graph. The data within each summary can be selected for further filtering or downloading.




## Templates

Templates are predefined queries, each has a simple form and a description. Click on a template to run it, you can search for templates by keyword and filter them by category.

**Note:** Please contact us if you would like any additional template queries or if you have a concern about a query not completing.



Filter:  Filter: -- all categories --

**Actions:**  **Options:** ☒ Show descriptions ☐ Show Tags

You are not logged in. [Log in](#) to mark items as favourites .

- ☐ [Gene --> Chromosomal location](#)  
Given a gene id or gene symbol, retrieve the chromosomal coordinates.
- ☐ [Gene --> GO terms](#)  
Given a gene id or symbol, retrieve GO terms. Be sure to view the Qualifier column for genes annotated as "NOT".
- ☐ [Chromosomal location --> genes](#)  
Given a chromosome id and coordinates, retrieve genes.
- ☐ [SNP rsID --> Chromosome Location](#)  
Given a SNP rsID, retrieve chromosome location.
- ☐ [Gene --> Pathway](#)  
Given a gene id or symbol, retrieve pathways. The pathway data sources retrieved may be affected by the input id (RefSeq, Ensembl or gene symbol).
- ☐ [SNP rsID --> Gene](#)  
Given a SNP rsID and organism, retrieve gene. No rows will be returned if the SNP is not within a gene.
- ☐ [Gene --> Publications](#)  
Given a gene id or symbol, retrieve publications.
- ☐ [Gene ID --> Variant Consequences](#)  
Given an Ensembl gene id, retrieve variants and their consequences.

Fig. 6: Full list of templates on Templates page



### Gene → Homologues

Given a gene id or symbol in the selected organism, retrieve homologues. Optionally select homologue type.

**Gene**

LOOKUP:

☐ constrain to be  saved Gene list

**Organism > Short Name**

optional

ON | OFF

**Homologue > Type**

optional

ON | OFF

Show Results

Edit Query

web service URL

Perl | Python | Ruby | Java [help]

export XML

Fig. 7: Example: Gene → Homologue

Trail: Query

### Gene → Homologues

Given a gene id or symbol in the selected organism, retrieve homologues. Optionally select homologue type.

☐ Manage Columns ☐ Manage Filters ☐ Manage Relationships

Showing 1 to 25 of 155 rows

Rows per page: 25

Gene Organism	Gene Gene ID	Gene Source	Homologues Type	Homologues Homologue . Primary Identifier	Data Sets Name	Data Source Name	Homologues Homologue . Organism . Short Name	Homologues Last Common Ancestor
B. taurus	ENSBTAG00000017765	Ensembl95	orthologue	ENSGALG00000032922	EnsemblCompara data set	Ensembl	G. gallus	Amniota
B. taurus	ENSBTAG00000037673	Ensembl95	orthologue	ENSGALG00000016328	EnsemblCompara data set	Ensembl	G. gallus	Bilateria
B. taurus	ENSBTAG00000037673	Ensembl95	orthologue	ENSG00000134201	EnsemblCompara data set	Ensembl	H. sapiens	Boreoeutheria
B. taurus	ENSBTAG00000037673	Ensembl95	orthologue	ENSG00000213366	EnsemblCompara data set	Ensembl	H. sapiens	Boreoeutheria
B. taurus	ENSBTAG00000037673	Ensembl95	orthologue	ENSMUSG00000004035	EnsemblCompara data set	Ensembl	M. musculus	Boreoeutheria
B. taurus	ENSBTAG00000037673	Ensembl95	orthologue	ENSRNOG00000018937	EnsemblCompara data set	Ensembl	R. norvegicus	Boreoeutheria
B. taurus	ENSBTAG00000017765	Ensembl95	orthologue	ENSCHIG00000023592	EnsemblCompara data set	Ensembl	C. hircus	Bovidae
B. taurus	ENSBTAG00000017765	Ensembl95	orthologue	ENSCHIG00000024688	EnsemblCompara data set	Ensembl	C. hircus	Bovidae
B. taurus	ENSBTAG00000017765	Ensembl95	orthologue	ENSOARG00000019297	EnsemblCompara data set	Ensembl	O. aries	Bovidae

Fig. 8: Example: Gene → Homologue template search results, identifier for Gene GSTM1




Fig. 9: Options for generating code from template query




Fig. 10: Options for downloading results from template query



Fig. 11: Options for customizing the results of a template query.



Fig. 12: Column header icons available to edit the results of a template query.

## 2.2.4 Optional filters

Some templates have optional filters that are disabled by default. For the Gene → Homologue query, there is an optional filter to specify the organism used in the query. To enable the filter, click **ON** below the **Organism > Short Name** label.

**Gene → Homologues**  
Given a gene id or symbol in the selected organism, retrieve homologues. Optionally select homologue type.

**Gene**  
LOOKUP:   
☐ constrain to be IN

**Organism > Short Name**  
optional ON | OFF =

**Homologue > Type**  
optional ON | OFF =

[Show Results](#) [Edit Query](#)

[web service URL](#) [Perl](#) [Python](#) [Ruby](#) [Java \[help\]](#) [export XML](#)

Fig. 13: Using the optional organism filter in the Gene → Homologue query template.

## 2.3 QueryBuilder

The provided templates are suitable for many different types of searches, new queries may be built from scratch using the **QueryBuilder**. The possibilities of queries using the QueryBuilder are endless. The output may be formatted exactly as desired, and the query constraints may be chosen to perform complex search operations.

**QueryBuilder**  
Advanced users can use a flexible query interface to construct their own data mining queries. The QueryBuilder lets you view the data model, apply constraints and select output. You can also export queries to share them with others.

[Browse data model](#) [Import query from XML](#) [View saved queries](#)

**Select a Data Type to Begin a Query**  
Click on a class name for a description or double click on a class name to create a new query starting at that class

- Gene
- Protein
- 
- Alias Name
- Author
- BRENDA Term
- Bio-Entity
- CDS
- CMO Term
- CRISPR

[Select](#)



To begin, select a **Data Type**. For example, select **Gene** as a Data Type then click the **Select** button to be taken to the Model browser.




Fig. 14: Selecting data type as **Gene** in QueryBuilder.

### 2.3.1 Model browser

After selecting a data type, the **Model builder** appears displaying the attributes for the chosen feature class **Gene**.

First lets select **Gene** as a Data Type in the QueryBuilder. Then click on **Select**. This will take you to a Model browser where you can select the attributes for the feature class ‘Gene’, which you would want to be shown in your results.

### 2.3.2 QueryBuilder Examples

The following three examples provide details as to how to use the QueryBuilder using “Gene” as the selected data type.

#### 2.3.2.1 Example 1: Querying for protein coding genes

In the Model browser, click **Show** next to **Biotype**, **Gene ID** and **Symbol**, which will add these fields to the query. Notice that these two fields appear below the data type **Gene** in the Query Overview section.

Then click **Constrain** next to **Biotype**. The first drop-down menu defaults to = (equals sign). In the second drop-down menu, select **Protein Coding**, then click the **Add to query** button. This adds a constraint to the query to search only for protein coding genes. Notice that the Query Overview section now shows “Biotype = Protein Coding”. Also, two types of icons appear next to the attributes. Clicking on the red “X” icon next to an attribute will remove that field or constraint from the query. Clicking on the blue pencil icon next to a constraint brings up the constraint editing window where changes may be made to the query filters.

Show results

### Model browser

Browse through the classes and attributes. Click on [SUMMARY ↓](#) links to add summary of fields to the results table or on [SHOW ↓](#) links to add individual fields to the results. Use [CONSTRAIN →](#) links to constrain a value in the query.

- [Gene](#)
  - [Biotype](#)
  - [Description](#)
  - [Length](#) Integer
  - [Name](#)
  - [Gene ID](#)
  - [Secondary Identifier](#)
  - [Source](#)
  - [Status](#)
  - [Symbol](#)
  - + [CDs CDS](#)
  - + [Chromosome Chromosome](#)
  - + [Chromosome Location Location](#)
  - + [Cross References Cross Reference](#)
  - + [Data Sets Data Set](#)
  - + [Db Cross References x Ref](#)
  - + [Duplicate Entities Duplicate Entity](#)
  - + [Exons Exon](#)
  - + [GO Annotation GO Annotation](#)
  - + [Homologues Homologue](#)
  - + [Interactions Interaction](#)

☐ Show empty fields

### Query Overview

*no fields constrained*

**Constraint logic:**

*no constraints*

Fields selected for output

Columns to Display

Use the [SHOW ↓](#) or [SUMMARY ↓](#) links to add fields to the results table.

*No fields selected for output*

Show results

Fig. 15: Model browser with “Gene” selected as the data type.

The screenshot shows the FAANGMine Model browser interface. On the left, the 'Model browser' panel displays a hierarchical tree of biological data types. The 'Gene' data type is selected, and its attributes (Biotype, Gene ID, Symbol) are listed in the 'Query Overview' panel on the right. The 'Constraint logic' section shows 'no constraints'.

**Model browser**

- Status
- Symbol
- + CDSs CDS
- + Chromosome Chromosome
- + Chromosome Location Location
- + Cross References Cross Reference
- + Data Sets Data Set
- + Db Cross References x Ref
- + Duplicate Entities Duplicate Entity
- + Exons Exon
- + GO Annotation GO Annotation
- + Homologues Homologue
- + Interactions Interaction
- + Located Features Location
- + Locations Location
- + Ontology Annotations Ontology Annotation
- + Organism Organism
- + Overlapping Features Sequence Feature
- + Pathways Pathway
- + Polypeptides Polypeptide
- + Proteins Protein
- + Publications Publication
- + Sequence Sequence
- + Sequence Ontology Term SO Term
- + Synonyms Synonym

☐ Show empty fields

**Query Overview**

Gene

- Biotype
- Gene ID
- Symbol

Constraint logic: no constraints

Fig. 16: Model browser with “Gene” selected as the data type.  
Example 1, Step 1: Select files to be added to the query

Lastly, click on **Show Results** above the Model Browser. The resulting table contains all protein coding genes in the database, with Gene ID, Gene Symbol and Gene Biotype as the table columns. Because the Biotypes should all be the same (protein coding), that column can be deleted by clicking the “x” above it. Alternatively, the three dots “...” can be selected to “Toggle column visibility” and hide the column. See the [Customize output and manage columns](#) section to review ways to manage column data.

### 2.3.2.2 Example 2: Querying for protein coding genes on a particular chromosome

Users can customize the previously run query by adding another constraint for **Chromosome**. Note the “Trail: Query” text at the upper left of the results table. Clicking on the “Query” link will bring you back to the query that generated the table to allow for edits without having to build a new query. In the Model browser, click on the “+” (plus sign) next to the Chromosome feature class to display its attributes.

Next click on **Constrain** next to the **Chromosome ID** attribute and in the text box of the pop-up window select “=” (equals). Enter **18** for chromosome number 18 then click on **Add to Query**, which adds the additional constraint to the query. Just clicking chromosome 18 will bring up that chromosome in multiple organisms so we will add another organism constraint. Click on the **Organism** to reveal its attributes then click on **constrain** next to Genus. In the resulting pop-up window, select “=” (equals) then “Equus” for the chromosome 18 of horse.

Click on **Show results** and the query will result in all protein-coding genes on the Chromosome with constrained ID and organism. Note that the number of results has been reduced with the addition of the constraint.




Fig. 17: Example 1, Step 2 Adding a constraint to the query on Biotype.

Trail: [Query](#) > [Results](#)

[Manage Columns](#) [Manage Filters](#) [Manage Relationships](#) [Save as List](#) [Generate Python code](#)

Showing 1 to 25 of 346,084 rows Rows per page: 25

Gene	Gene ID	Gene Symbol
Protein Coding	100008585	TICAM1
Protein Coding	100009677	HK2
Protein Coding	100009678	FMOD
Protein Coding	100009679	HSPA8
Protein Coding	100009680	HTR1B
Protein Coding	100009681	LUM
Protein Coding	100009682	EEF1A1
Protein Coding	100009683	HTR1A

Fig. 18: Example 1, Step 3 Display query results.




Fig. 19: Example 2, Step 1 View attributes of Chromosome feature class




Fig. 20: Example 2, Step 2 Adding constraints to the Chromosome ID and Organism

Trail: [Query](#) > Results

Manage Columns

Manage Filters

Manage Relationships

Save as List

Generate Python code

Export

Showing rows 1 to 25 of 803

Rows per page: 25

⏪

⏴

⏵

page 1

⏴

⏵

⏪

<div> <div>⏴</div> <div>⏵</div> <div>⏴</div> <div>⏵</div> <div>⏴</div> <div>⏵</div> </div> <div>Gene</div> <div>Biotype</div>	<div> <div>⏴</div> <div>⏵</div> <div>⏴</div> <div>⏵</div> <div>⏴</div> <div>⏵</div> </div> <div>Gene</div> <div>Gene ID</div>	<div> <div>⏴</div> <div>⏵</div> <div>⏴</div> <div>⏵</div> <div>⏴</div> <div>⏵</div> </div> <div>Gene</div> <div>Symbol</div>	<div> <div>⏴</div> <div>⏵</div> <div>⏴</div> <div>⏵</div> <div>⏴</div> <div>⏵</div> </div> <div>Chromosome</div> <div>Chromosome ID</div>
Protein Coding	100033832	MSTN	18
Protein Coding	100033909	ACTR3	18
Protein Coding	100034068	TNFAIP6	18
Protein Coding	100049822	DBI	18
Protein Coding	100049823	ACVR2A	18
Protein Coding	100049893	C1QL2	18
Protein Coding	100049894	MBD5	18
Protein Coding	100049957	INSIG2	18
Protein Coding	100049958	EPC2	18

Fig. 21: Example 2, Step 3 Result table after constraining by Chromosome ID and Organism

### 2.3.2.3 Example 3: Querying for Protein Coding genes on a particular chromosome and their exons

This last example builds upon the previous queries to display all exons for each gene on a particular chromosome. Again, note the “Trail: Query” text at the upper left of the results table. Clicking on the “Query” link will bring you back to the query that generated the table to allow for edits without having to build a new query. Scroll down to **Exon** feature class and select the “+” (plus sign) next to Exons to display its attributes. Click **Show** next to **Length** and **Exon Identifier**.

The Query Overview shows the query in progress with the selected fields. Also notice that a third type of icon, a blue square, appears next to some attributes. Clicking on a blue square icon brings up a window where the query Join Style may be modified. When adding a constraint, you can decide whether you want to show only those results with the information (genes with exons) or all results and the constrained feature if it exists (e.g., all genes and indicate exons if they exist). Click on the blue square icon next to **Exon collection** to bring up the Switch Join Style window. The default option is to show only Genes if they have a exon (inner join). Change this to **Show all Genes and show Exons if they are present** (outer join) then click **Add to query**.

Then click “Show results” to run the new query.

The results table now lists a new column **Gene Exons**, which we added to the query. If we look at the second row in the table, it lists 12 exons. Click on the **12 exons** link to expand that entry. That column now has additional rows containing the **Exon identifier** and **Length** for each of the 12 exons.

The screenshot displays the QueryBuilder interface. On the left is the 'Model browser' panel, which lists various biological models and their attributes. On the right is the 'Query Overview' panel, which shows the current query structure.

**Model browser:** A hierarchical list of models and their attributes. Each model has a 'SUMMARY' button and a 'CONSTRAIN' button. The models listed include: Length integer, Exon Identifier, Source, Chromosome, Chromosome Location, Data Sets, Locations, Organism, Overlapping Features, Sequence, Sequence Ontology Term, Transcripts, GO Annotation, Homologues, Interactions, Located Features, Locations, Ontology Annotations, Organism, Overlapping Features, Pathways, Polypeptides, Proteins, Publications, and Sequence.

**Query Overview:** A panel showing the current query structure. It includes a 'Gene' section with fields like Biotype, Gene ID, Symbol, Chromosome, Chromosome ID, Organism, Genus, Exons, Length, and Exon Identifier. Below this is a 'Constraint logic' section showing the logic 'A and B and C'.

Fig. 22: Example 3, Step 1 Expand exon attributes and add fields to the query

The screenshot shows a dialog box titled 'Switch Join Style Gene > Exons'. It contains a 'Constrain' button and a 'Filter options' section. The 'Filter options' section has two radio buttons: 'Show only Genes if they have a Exon.' and 'Show all Genes and show Exons if they are present.' The second option is selected. There is also an 'Add to query' button.

Fig. 23: Example 3, Step 2 Select join style for exons

Trail: [Query](#) > Results

Manage Columns

Manage Filters

Manage Relationships

Save as List

Generate Python code

Showing rows 1 to 25 of 803

Rows per page: 25

Previous 5

Previous

First

page 1

Next

Next 5

Last

<div><div>Gene Biotype</div></div>	<div><div>Gene Gene ID</div></div>	<div><div>Gene Symbol</div></div>	<div><div>Chromosome Chromosome ID</div></div>	<div><div>Gene Exons</div></div>
Protein Coding	100033832	MSTN	18	3 Exons
Protein Coding	100033909	ACTR3	18	12 Exons
Protein Coding	100034068	TNFAIP6	18	6 Exons
Protein Coding	100049822	DBI	18	14 Exons
Protein Coding	100049823	ACVR2A	18	11 Exons
Protein Coding	100049893	C1QL2	18	2 Exons
Protein Coding	100049894	MBD5	18	65 Exons
Protein Coding	100049957	INSIG2	18	49 Exons
Protein Coding	100049958	EPC2	18	14 Exons
Protein Coding	100050022	CCDC93	18	140 Exons

Fig. 24: Example 3, Step 3 Query results with exon constraint



Trail: [Query](#) > Results

Manage Columns

Manage Filters

Manage Relationships

Save as List

Generate Python code

Showing rows 1 to 25 of 803

Rows per page: 25

⏪ ⏴ ⏵ ⏩

page 1

⏴ ⏵ ⏩

<div><div>⏴ ⏵ ⏴ ⏵ ⏴ ⏵</div><div>Gene Biotype</div></div>	<div><div>⏴ ⏵ ⏴ ⏵ ⏴ ⏵</div><div>Gene Gene ID</div></div>	<div><div>⏴ ⏵ ⏴ ⏵ ⏴ ⏵</div><div>Gene Symbol</div></div>	<div><div>⏴ ⏵ ⏴ ⏵ ⏴ ⏵</div><div>Chromosome Chromosome ID</div></div>	<div><div>⏴ ⏵ ⏴ ⏵ ⏴ ⏵</div><div>Gene Exons</div></div>																								
Protein Coding	100033832	MSTN	18	3 Exons																								
Protein Coding	100033909	ACTR3	18	12 Exons																								
				<div><div>Length</div><div>Exon Identifi</div></div> <table><tr><td>311</td><td>exon335559</td></tr><tr><td>56</td><td>exon335560</td></tr><tr><td>125</td><td>exon335561</td></tr><tr><td>111</td><td>exon335562</td></tr><tr><td>96</td><td>exon335563</td></tr><tr><td>108</td><td>exon335564</td></tr><tr><td>144</td><td>exon335565</td></tr><tr><td>174</td><td>exon335566</td></tr><tr><td>93</td><td>exon335567</td></tr><tr><td>126</td><td>exon335568</td></tr><tr><td>84</td><td>exon335569</td></tr><tr><td>1230</td><td>exon335570</td></tr></table>	311	exon335559	56	exon335560	125	exon335561	111	exon335562	96	exon335563	108	exon335564	144	exon335565	174	exon335566	93	exon335567	126	exon335568	84	exon335569	1230	exon335570
311	exon335559																											
56	exon335560																											
125	exon335561																											
111	exon335562																											
96	exon335563																											
108	exon335564																											
144	exon335565																											
174	exon335566																											
93	exon335567																											
126	exon335568																											
84	exon335569																											
1230	exon335570																											
Protein Coding	100034068	TNFAIP6	18	6 Exons																								

Fig. 25: Example 3, Step 4 Query results with exon column expanded

In changing the join style to an outer join, the exons have been grouped together by gene making it easier to determine how many exons are contained in each gene. If the same query is run with the default join (outer join) of **Show only Genes if they have an Exon**, the results table adds a new row for each new exon rather than grouping exons by gene.

Trail: [Query](#) > Results

Manage Columns

Manage Filters

Manage Relationships

Save as List

Generate Python code

Showing rows 1 to 25 of 51,208

Rows per page: 25

<div><div></div><div></div><div></div><div></div><div></div></div> <div>Gene Biotype</div>	<div><div></div><div></div><div></div><div></div><div></div></div> <div>Gene Gene ID</div>	<div><div></div><div></div><div></div><div></div><div></div></div> <div>Gene Symbol</div>	<div><div></div><div></div><div></div><div></div><div></div></div> <div>Chromosome Chromosome ID</div>	<div><div></div><div></div><div></div><div></div><div></div></div> <div>Exons Exons Length</div>	<div><div></div><div></div><div></div><div></div><div></div></div> <div>Exons Exon Identifier</div>
Protein Coding	100033832	MSTN	18	373	exon370698
Protein Coding	100033832	MSTN	18	374	exon370699
Protein Coding	100033832	MSTN	18	381	exon370700
Protein Coding	100033909	ACTR3	18	56	exon335560
Protein Coding	100033909	ACTR3	18	84	exon335569
Protein Coding	100033909	ACTR3	18	93	exon335567
Protein Coding	100033909	ACTR3	18	96	exon335563
Protein Coding	100033909	ACTR3	18	108	exon335564
Protein Coding	100033909	ACTR3	18	111	exon335562
Protein Coding	100033909	ACTR3	18	125	exon335561

Fig. 26: Example 3, Step 5 Query results with default join style run for genes containing exons

All objects in FAANGMine (e.g., gene, protein, transcript, publication) have report pages that can be viewed after running a query. It allows users to view all available information for that object while providing links to related objects. As an example, we can revisit the templates example. In the list of templates under the **Templates** tab on the FAANGMine home page, select Gene -> Homologues to query FAANGMine to retrieve all homologues for a given gene. Enter “GSTM1” into the LOOKUP search box then click **Show Results**. In the results table, note that every entry is contains a link. You can mouse over any link to bring up a summary of that object. If we hover over the first Gene ID, we can see a summary box that includes

Clicking on that same item will bring up its report page that includes a comprehensive for gene GSTM1. The report page header shows the Gene ID and its Biotype, for this example, protein coding. The tabs at the top of the page in the Quick Links menu bar quickly bring you to the data listed. The column on the right side of the report page displays external links to other Mines and databases.

The content of the report page is divided into categories based on the type of information provided for that particular object. Clicking on links within each category bring up more details about the objects of interest.

### 3.1 Summary

The **Summary** section near the top of the report provides information on the gene such as its length, chromosome location, and strand information. Users can also get the complete FASTA sequence of the gene by clicking on the FASTA tab.

### 3.2 Transcripts

The **Transcripts** section contains information about the gene model, such as transcripts and exons. Links to FASTA files are included where applicable.

**Trail:** Query

# Gene → Homologues

Given a gene id or symbol in the selected organism, retrieve homologues. Optimize query.

☐ Manage Columns
 ☒ Manage Filters
 ☐ Manage Relationships

Showing rows 1 to 25

Gene Organism	Gene ID	RefSeq	orthologue	
B. taurus	327709			
B. taurus	327709			
B. taurus	327709			
B. taurus	327709			
B. taurus	327709			
B. taurus	327709			
B. taurus	327709	RefSeq	orthologue	100156976
B. taurus	327709	RefSeq	orthologue	100169963
B. taurus	327709	RefSeq	orthologue	100514231
B. taurus	327709	RefSeq	orthologue	100861222

**Gene**

Biotype	Protein Coding
Chromosome	ARS-UCD1.2
Description	glutathione S-transferase M1
Gene ID	327709
Length	10,766
Organism	B. taurus
Source	RefSeq
Symbol	GSTM1

Fig. 1: Summary for gene entry in query results table

**Gene : GSTM1**
*B. taurus*

Gene ID <span>327709</span>	Source Biotype	RefSeq Protein Coding
Description <b>glutathione S-transferase M1</b>		

[SHARE](#)

---

[Quick Links:](#)    [Summary](#) | [Transcripts](#) | [Proteins](#) | [Function](#) | [Homology](#) | [Interactions](#) | [Publication](#) | [Other](#)

**Genome feature**

Region:	<b>gene</b>	Length: 10766 <a href="#">FASTA...</a>
Location:	<b>3:33690883–33701648 reverse strand</b>	

**1 Db Cross References**

[Manage Columns](#)

[Manage Filters](#)

[Generate Python code](#)

[Export](#)



[Save as List](#)

Showing rows 1 to 1 of 1

... <b>Db Cross References Identifier</b>	... <b>Db Cross References Source</b>
ENSBTAG000000017765	Ensembl95











Fig. 2: Report page for protein-coding gene

**Genome feature**

Region:	<b>gene</b> 	Length:	10766	
Location:	<b>3:33690883–33701648</b> reverse strand			

**Transcripts****All Transcripts for Gene – GSTM1 327709**

[Transcripts](#): 1 [Exons](#): 8 [Coding Sequence](#): 1

Transcript	Exons	Coding Sequence
GSTM1 NM_175825.3 1141 	exon632091	100 
	exon632092	76 
	exon632093	65 
	exon632094	82 
	exon632095	101 
	exon632096	96 
	exon632097	111 
	exon632098	510 
		NM_175825.3-CDS 657 

### 3.3 Proteins

The **Proteins** section provides information about the protein product of the gene. The comments section gives a brief description about the protein along with the UniProt accession and links to any outside data sets.

### 3.4 Function

The **Function** section displays Gene Ontology annotations for a gene. Annotations are divided into three categories:

- Cellular Component
- Molecular Function
- Biological Process

The GO terms are displayed along with the evidence code indicating how the annotations were derived. A results with Pathway information is also displayed if applicable.

### 3.5 Homology

The **Homology** section provides information for all homologues. The first portion displays a summarized view of the homologues reported in different organisms. The next portion provides more detailed information about the homologue, the type of homologue and from which dataset the information was obtained all displayed in a results table.

### 3.6 Interactions

The **Interactions** section provides interaction information. For GSTM1 there are no interaction information available but for genes that do have interaction information, a network is displayed showing all interactors for the current gene.

## Proteins

Curated comments from UniProt		Show proteins
Type	Comment	
function	Conjugation of reduced glutathione to a wide number of exogenous and endogenous hydrophobic electrophiles. Protects against the thiol-mediated metal-catalysed oxidative inactivation of enzymes.	
similarity	Belongs to the GST superfamily. Mu family.	

### 1 Proteins

Manage Columns	Manage Filters	Generate Python code	Export
Manage Relationships			Save as List

Showing rows 1 to 1 of 1

Proteins DB identifier	Proteins Primary Accession	Proteins Organism . Name	Proteins Length	Proteins datasets
GSTM1_BOVIN	Q9N0V4	Bos taurus	218	3 Data Set datasets

## Function

### Gene Ontology

#### cellular component

cytoplasm ECO:0000501

#### molecular function

glutathione transferase activity ECO:0000501

#### biological process

No terms in this category.

### 17 Pathways

Manage Columns	Manage Filters	Generate Python code	Export
Manage Relationships			Save as List

Showing rows 1 to 17 of 17

Rows per page: 10

Pathways Identifier	Pathways Name	Pathways Dataset
R-BTA-1430728	Metabolism	1 Data Set Dataset
R-BTA-156580	Phase II - Conjugation of compounds	1 Data Set Dataset
R-BTA-156590	Glutathione conjugation	1 Data Set Dataset
R-BTA-211859	Biological oxidations	1 Data Set Dataset
		Reactome pathways data set

Homology

Homologues											
B. bubalis	C. hircus	C. lupus familiaris	E. caballus	F. catus	G. gallus	H. sapiens	M. musculus	O. aries	R. norvegicus	S. scrofa	
	GSTM3						Gstm7		Gstm5	LOC106510200	
LOC102396303	LOC106503993						Gstm1		Gstm3l	LOC110260351	
LOC102398085	LOC108633298		GSTM3	LOC101100824	GSTM2	GSTM2	Gstm5	GSTM3	Gstm4	LOC110260350	
GSTM3	LOC100861222	LOC479911	LOC100061761	GSTM3		GSTM4	Gstm4	LOC101107831	Gstm2	LOC780435	
LOC102397004	LOC102185621	LOC479912	LOC100058290			GSTM1	Gstm3	LOC101108092	Gstm6	LOC100156976	
	LOC102190481		LOC100058329			GSTM5	Gstm2	LOC101108705	Gstm1	LOC110260348	
	LOC102189813						Gstm6	LOC101107401	Gstm7	GSTM3	
									Gstm3		

Gene --> Homologues for report page (59 rows)

Manage Columns

Manage Filters

Generate Python code

Export

Manage Relationships

Save as List

Showing rows 1 to 25 of 59

Rows per page: 25

page 1

Data Sets Name	Homologues Type	Homologues Last Common Ancestor	Homologues Homologue . Primary Identifier	Homologue Symbol	Homologues Homologue . Organism . Short Name
OrthoDB data set	orthologue	NO VALUE	100037663	GSTM3	O. aries
OrthoDB data set	orthologue	NO VALUE	100058290	LOC100058290	E. caballus



Interactions

Gene --> Interacting genes (0 rows)

### 3.7 Publications

The **Publications** section displays a table of publications related to the gene with links to full citations.

#### Publication

 **Publications** (3 rows) 

Manage Columns

Manage Filters




















Manage Relationships

Generate Python code

Export

Save as List

Showing rows 1 to 3 of 3

   Publications Year	   Publications First Author	   Publications Title	   Publications Journal	   Publications Volume	   Publications Pages	   Publications PubMed ID
2015	Hering D M	Missense mutation in glutathione-S-transferase M1 gene is associated with sperm motility and ATP content in frozen-thawed semen of Holstein-Friesian bulls.	Anim. Reprod. Sci.	159	94-7	26091956

### 3.8 Other

This last section provides miscellaneous information that do not fit into any of the above categories. This example lists protein coding annotations and their sources.

#### Other

**5 Data Sets**

KEGG pathways data set, Bos taurus RefSeq Protein Coding Genes, OrthoDB data set, Swiss-Prot data set, PubMed to gene mapping



---

### Genomic Regions Search

---

The **Genomic Regions Search** is a tool to fetch features that are within a given set of genomic coordinates or are within a given number of bases flanking the coordinates.

To begin this type of search, click the **Regions** tab on the menu bar. A form will appear asking for the search parameters (organism, feature types, genomic coordinates, etc.)

The coordinates must have one of three formats:

1. chromosome\_number:start..end
2. chromosome\_number:start-end
3. chromosome\_number start end (tab delimited)

Click on the input examples above the text input box (number 4) to view a representative set of coordinates in each format. Click the **Genome coordinates help** link near the top of the form for more detailed information on the input format requirements.

During a search, regions may be extended on either side of the genomic coordinates using the slider or by entering text in the field to the left of the slide bar. There is also the option to perform a strand-specific region search using the checkbox at the bottom of the form (number 6)

As an example, select *B. taurus* from the Select Organism drop-down, and ARS-UCD1.2 as the Assembly. Slick the box next to Select Feature Types to uncheck all of the boxes, then check the box next to Gene, and enter the following coordinates into the genomic regions search text field:

14:2000000..2800000

Click the search box to conduct the genomic regions search. If there are no overlaps within your search coordinates, the search can be done again with the search region extended using the slide bar or entering text into the search box (e.g., 10k).

The search results page presents a list of features present within the genomic interval that was searched. In this case, the feature type was limited to Gene. The results may be exported as tab-separated or comma-separated values. If they contain genomic features, there is also the option to save the results in GFF3 or BED format. The FASTA sequences

## Overlap features search from a new list of Genomic Regions

Search for features that overlap a list of genome coordinates you enter or upload, e.g. 6:50000..100000. Be sure to use the correct chromosome identifier system for the selected species, and be sure to select both the species and the assembly. All species except cat use numbers for autosomes. Cat uses A1-A3, B1-B4, C1-C2, D1-D4, E1-E3 and F1-F2 for autosomes. Sex chromosomes are X,Y for mammals and Z,W for chicken. The mitochondrial chromosome is MT for all species. Scaffolds use RefSeq ids ("NW\_...") for all species. To retrieve a map of chromosome identifiers, you can use the template query "Genome Assembly-->Chromosome IDs" found on the FAANGMine home page under "ENTIRE GENE SET"

[Genome coordinates help](#)

1. Select Organism:
2. Assembly:
3. ☒ Select Feature Types:
 

<input checked="" type="checkbox"/> CDS	<input checked="" type="checkbox"/> mRNA	<input checked="" type="checkbox"/> tRNA
<input checked="" type="checkbox"/> Exon	<input checked="" type="checkbox"/> Polypeptide	<input checked="" type="checkbox"/> Transcript
<input checked="" type="checkbox"/> Gene	<input checked="" type="checkbox"/> rRNA	
4. Type/Paste in genomic regions in ☒ base coordinate ☐ interbase coordinate
 

(example for input format chr:1..1000)▼  
 (example for input format chr:1-1000)▼  
 (example for tab delimited input format)▼

or Upload genomic regions from a .txt file...  
 no file selected
5. Extend your regions at both sides:
 

|

1k

10k

100k

1M

10M
6. ☐ Check this box to perform a strand-specific region search (search + strand if region start<end; search - strand if region end<start)

Fig. 1: Genomic Regions search form

## Overlap features search from a new list of Genomic Regions

Search for features that overlap a list of genome coordinates you enter or upload, e.g. 6:50000..100000. Be sure to use the correct chromosome identifier system for the selected species, and be sure to select both the species and the assembly. All species except cat use numbers for autosomes. Cat uses A1-A3, B1-B4, C1-C2, D1-D4, E1-E3 and F1-F2 for autosomes. Sex chromosomes are X,Y for mammals and Z,W for chicken. The mitochondrial chromosome is MT for all species. Scaffolds use RefSeq ids ("NW\_...") for all species. To retrieve a map of chromosome identifiers, you can use the template query "Genome Assembly-->Chromosome IDs" found on the FAANGMine home page under "ENTIRE GENE SET"

### Genome coordinates help

1. Select Organism:
2. Assembly:
3. ☒ Select Feature Types:
 

<input type="checkbox"/> CDS	<input type="checkbox"/> SRNA	
<input type="checkbox"/> Exon	<input type="checkbox"/> Sca RNA	
<input checked="" type="checkbox"/> Gene	<input type="checkbox"/> miRNA	<input type="checkbox"/> Sequence Alteration
<input type="checkbox"/> Polypeptide	<input type="checkbox"/> snRNA	
<input type="checkbox"/> Primary Transcript	<input type="checkbox"/> snoRNA	
<input type="checkbox"/> Indel	<input type="checkbox"/> QTL	<input type="checkbox"/> Substitution
<input type="checkbox"/> Lnc RNA	<input type="checkbox"/> rRNA	<input type="checkbox"/> tRNA
<input type="checkbox"/> mRNA	<input type="checkbox"/> Ribozyme	<input type="checkbox"/> Tandem Repeat
<input type="checkbox"/> SNP	<input type="checkbox"/> Transcript	
4. Type/Paste in genomic regions in ☒ base coordinate ☐ interbase coordinate
 

(example for input format chr:1..1000)▼  
 (example for input format chr:1-1000)▼  
 (example for tab delimited input format)▼

14:2000000..2800000

or Upload genomic regions from a .txt file...

no file selected
5. Extend your regions at both sides:
 

1k

10k

100k

1M

10M
6. ☐ Check this box to perform a strand-specific region search (search + strand if region start<end; search - strand if region end<start)

Fig. 2: Genomic Regions search example with *Bos taurus*

of the features may also be downloaded. Links within the features provide detailed reports. If users are interested in creating a list of particular features from the result page then they can filter based on feature type (if applicable), shown in red box, and click on **Go**.

Selected organism: *B. taurus*

Selected feature types: Gene

Hide

Export data for all features within all regions: 

TABCSVGFF3BEDFASTA

Export entire sequences for all regions: 

FASTA...

Create list by feature type: 

Gene

Go

14:2000000..2800000

Export sequence for entire region: 

FASTA...

TABCSVGFF3BEDFASTA

Create List by 

Gene

Go

GENOME REGION	FEATURE	FEATURE TYPE	LOCATION
	<a href="#">TSNARE1</a> 535306	Gene	14:1901658..2019964
	<a href="#">TSNARE1</a> ENSBTAG00000009974	Gene	14:1902552..2019963
	ENSBTAG00000049276	Gene	14:2061681..2063295
	<a href="#">LOC112449568</a> 112449568	Gene	14:2169347..2170374
	ENSBTAG00000048964	Gene	14:2192456..2213198
	<a href="#">LOC101905853</a> 101905853	Gene	14:2193661..2213022
	<a href="#">LOC101901918</a> 101901918	Gene	14:2214713..2223217
	<a href="#">TRNAC-GCA</a> 112449672	Gene	14:2306632..2306702
	<a href="#">LOC112449593</a> 112449593	Gene	14:2381511..2385843
	<a href="#">LOC112449592</a> 112449592	Gene	14:2385089..2389170
	<a href="#">LOC112449569</a> 112449569	Gene	14:2460577..2462222
	<a href="#">MROH5</a> 100298420	Gene	14:2482507..2552255

Fig. 3: Genomic Regions search results

## 5.1 Creating Lists

Users may create and save lists of features, such as gene IDs, transcript IDs, gene symbols, etc. The list tool searches the database for the list items and attempts to convert each identifier to the selected type. Click on the Lists tab from the menu to access the full list upload form. A short version of the form is also in the Quick List box on the home page.

As an example, enter the following comma-separated identifiers into the Lists upload form under the **Lists** tab. Notice that they do not have to be in the same format. A Summary table is displayed with the results of searching for each of the five identifiers in the list.

CAPN2, ENSCHIG00000014802, BTG1, XDH, 101107826


Leave the **Select Type** drop-down menu to **Gene** and the **Organism** drop-down to **Any**. Click on **Create List**. Note that you can also upload a list from a .txt file.

The summary table provides information regarding those identifiers that had a direct hit without any duplicates. If there are any duplicates, users can decide to add the relevant entries individually by clicking on the **Add** button under the **Action** column or choosing the **Add all** tab. Here we will click **Add all**. Once the selections have been added, the list can be saved by clicking the **Save a list of 66 Genes** button on the top of the summary table. Name the list by entering text into the **Choose a name for the list** box at the top of the results page.

After the list is saved, users are presented with a **List Analysis** page. This page provides users with widgets to perform analyses on gene lists that they have created.

The selection of widgets provided on the List Analysis page depend on the contents of the list. The available widgets for this list example include:

1. Gene Ontology Enrichment



## Create a new list

Select the type of list to create and either enter in a list of identifiers or upload identifiers from a file. A search will be performed for all the identifiers in your list.

- Separate identifiers by a **comma, space, tab** or **new line**.
- Qualify any identifiers that contain whitespace with double quotes like so: "even skipped".

**Select Type:**


**for Organism:**

**Type/Paste in identifiers** [\(click to see an example with different types of IDs\)▼](#)  
[\(example to query a list of milk production genes\)▼](#)

**or Upload identifiers from a .txt file...**  no file selected

☐ **Match on case**

Fig. 1: List upload form



**Quick List**

Enter a list of identifiers.

Gene

515523, CAPN2, ENSCHIG00000014802, BTG1, ENSBTAG00000006858, 102398240

[advanced](#)

**ANALYZE**

Fig. 2: Quick list from FAANGMine home page

Duplicates found - which one(s) do you want? [?](#)

[Add all](#) [Remove all](#)

Page 1 of 13 [1](#) [2](#) [3](#) [4](#) [5](#) ... [13](#) [>](#)

5 rows per page [▼](#)

Identifier you provided	Matches <a href="#">?</a>									Action <a href="#">?</a>
	symbol	organism short name	chromosome assembly	length	description	secondary identifier	source	primary identifier	class	
BTG1	BTG1	H. sapiens					RefSeq	694	Gene	<a href="#">Add</a>
	Btg1	M. musculus					RefSeq	12226	Gene	<a href="#">Add</a>
	Btg1	R. norvegicus					RefSeq	29618	Gene	<a href="#">Add</a>
	BTG1	H. sapiens					Ensembl95	ENSG00000133639	Gene	<a href="#">Add</a>
	Btg1	M. musculus					Ensembl95	ENSMUSG00000036478	Gene	<a href="#">Add</a>

**Summary** [?](#)

[Download summary](#)

Fig. 3: List Example: Search results for list of identifiers

Choose a name for the list

All\_organism\_gene\_search

(e.g. Smith 2013)

Add additional matches

You entered: 5 identifiers

We found: 2 Genes

Save a list of 66 Genes

Why are the numbers different? See below.

Duplicates found - which one(s) do you want?

Add all

Remove all

Page 1 of 13

1

2

3

4

5

...

13

5 rows per page

Identifier you provided	Matches									Action
	symbol	organism short name	chromosome assembly	length	description	secondary identifier	source	primary identifier	class	
BTG1	BTG1	H. sapiens					RefSeq	694	Gene	<div>Remove</div>
	Btg1	M. musculus					RefSeq	12226	Gene	<div>Remove</div>
	Btg1	R. norvegicus					RefSeq	29618	Gene	<div>Remove</div>
	BTG1	H. sapiens					Ensembl95	ENSG00000133639	Gene	<div>Remove</div>
	Btg1	M. musculus					Ensembl95	ENSMUSG00000036478	Gene	<div>Remove</div>


Fig. 4: List Example: Saving list of identifiers

- 2. Publication Enrichment
- 3. Pathway Enrichment
- 4. Orthologues

5.2 Saving Lists

To see your saved lists, click the **View** tab on the **Lists** page. If not logged in, lists will be saved temporarily during your current session. However, you must be logged in to save your lists permanently. Further analyses of lists can be done with the **Actions** links at the top of the list. The links become active once lists are selected for analyses. Saved lists may also be accessed from the **MyMine** menu tab.




**List Analysis for All\_organism\_gene\_search (66 Genes)**

Manage Columns

Manage Filters

Manage Relationships

Generate Python code

Export

Save as List

Rows per page: 25

⏪

⏴

⏴

page 1

⏵


⏵

⏩

Showing 1 to 25 of 51 rows

<div>⏴ ⏵ ⏶ ⏷</div> <div>Gene ID</div>	<div>⏴ ⏵ ⏶ ⏷</div> <div>Gene Secondary Identifier</div>	<div>⏴ ⏵ ⏶ ⏷</div> <div>Gene Symbol</div>	<div>⏴ ⏵ ⏶ ⏷</div> <div>Gene Source</div>	<div>⏴ ⏵ ⏶ ⏷</div> <div>Gene Description</div>	<div>⏴ ⏵ ⏶ ⏷</div> <div>Gene Length</div>	<div>⏴ ⏵ ⏶ ⏷</div> <div>Gene Organism</div>	<div>⏴ ⏵ ⏶ ⏷</div> <div>Gene Assembly</div>
100055184	NO VALUE	CAPN2	RefSeq	calpain 2	58996	E. caballus	EquCab3.0
100101473	NO VALUE	BTG1	RefSeq	BTG anti-proliferation factor 1	2743	S. scrofa	Sscrofa11.1
100127211	NO VALUE	CAPN2	RefSeq	calpain 2, (m/II) large subunit	49823	O. aries	Oar_v3.1
100217400	NO VALUE	BTG1	RefSeq	B-cell translocation gene 1, anti-proliferative	1235	O. aries	Oar_v3.1
100515259	NO VALUE	XDH	RefSeq	xanthine dehydrogenase	64984	S. scrofa	Sscrofa11.1
100629230	NO VALUE	BTG1	RefSeq	BTG anti-proliferation factor 1	2623	E. caballus	EquCab3.0

Fig. 5: List Example: Analysis for gene list



## CHAPTER 6

---

### MyMine

---

MyMine serves as a portal where logged-in users may manage their lists, queries, templates, and account details.

To access MyMine, click on the MyMine menu tab. A submenu appears with six options:

**Lists** - Lists saved by the user when logged in.

**History** - List of most recently run queries.

**Queries** - List of saved queries.





**Templates** - Templates created or marked as “favorite” by the user.

**Password** - Password reset form.

**Account Details** - User preferences form.

[Lists](#) | [History](#) | [Queries](#) | [Templates](#) | [Password](#) | [Account Details](#)

## Your Lists

<input type="checkbox"/>	LIST NAME	DESCRIPTION	TYPE	NUMBER OF OBJECTS	DATE CREATED
<input type="checkbox"/>	<a href="#">All_organism_gene_search</a>   <a href="#">Add tags</a> <a href="#">Share with users</a>		Gene	66 values	2019-11-26 15:07
<input type="checkbox"/>	<a href="#">Chromosome_List_example_Equus</a>   <a href="#">Add tags</a> <a href="#">Share with users</a>		Chromosome	1 value	2019-11-26 14:33

New list name:  [Union](#) [Intersect](#) [Subtract](#) [Asymmetric Difference](#) [Delete](#) [Copy](#)

Fig. 1: Saved lists found under MyMine. Note that currently saved lists can be selected for analyses to contribute to new lists.

An API is available for users who would like to programmatically access FAANGMine.

### Perl Web Service Client

The Perl web service client library makes it easy to run queries in FAANGMine directly from Perl programs. You can use these modules to construct any query you could run from web interface and fetch the results in a number of formats, including native Perl data structures and objects, and TSV/CSV strings.

Like all our code, it is open-source, coming licensed under the LGPL. For information on our API, visit our [wiki pages](#).

- **Prerequisites**

You should install the [Perl webservice client library module](#) to get started. You can install it directly from CPAN (the comprehensive Perl archive network). This is a public repository of thousands of modules. Using CPAN will ensure you get the latest version, and that your dependencies are automatically managed for you.

To install the InterMine Perl client library type the following command into a shell:

```
> sudo cpan Webservice::InterMine
```

- **Examples of using the downloaded script**

On each Template Query page and the QueryBuilder there is a link to get Perl code to run that particular query using the web service API. Just click the link, save the generated Perl script in a file and execute it. You can use the generated code as a starting point for your own programs.

You can run the downloaded script by running the following command in a shell:

```
> perl path/to/downloaded/script.pl
```

If you get an error saying `Cannot find Webservice::InterMine in @INC`, or similar then see 'Prerequisites' above.

Feel free to edit the script – these are designed to be spring-boards to help you get where you want to. See the [Cookbook](#), which contains a set of short tutorial 'recipes' that demonstrate particular features of the Perl API, for ways to edit the scripts, and even extend their functionality.

For a good reference to writing programs in Perl, see [here](#).

Perl, Python, Ruby, and Java are the languages supported by the InterMine API.

For more detailed information, view the [InterMine documentation](#).



## CHAPTER 8

### Data Sources

The Data Sources table provides a description of the datasets that are integrated into FAANGMine, along with their download location, version or release, citations wherever applicable, and any additional comments.

#### Data

This page lists all data sources loaded along with the date the data was downloaded and related publication. NOTE: All external links open in a new window.

Data Category	Organism	Data	Source	PubMed	Note
Gene	Bos taurus	NCBI Genes (RefSeq)	NCBI Bos taurus Annotation Release 106 (ARS-UCD1.2)	O'Leary et al – PubMed <a href="#">26553804</a>	NCBI FTP
	Ovis aries	NCBI Genes (RefSeq)	NCBI Ovis aries Annotation Release 101 (Oar_v3.1)	O'Leary et al – PubMed <a href="#">26553804</a>	NCBI FTP
	Capra hircus	NCBI Genes (RefSeq)	NCBI Capra hircus Annotation Release 102 (ARS1)	O'Leary et al – PubMed <a href="#">26553804</a>	NCBI FTP
	Sus scrofa	NCBI Genes (RefSeq)	NCBI Sus scrofa Annotation Release 106 (Sscrofa11.1)	O'Leary et al – PubMed <a href="#">26553804</a>	NCBI FTP
	Gallus gallus	NCBI Genes (RefSeq)	NCBI Gallus gallus Annotation Release 104 (GRCg6a)	O'Leary et al – PubMed <a href="#">26553804</a>	NCBI FTP
	Equus caballus	NCBI Genes (RefSeq)	NCBI Equus caballus Annotation Release 103 (EquCab3.0)	O'Leary et al – PubMed <a href="#">26553804</a>	NCBI FTP
	Canis lupus familiaris	NCBI Genes (RefSeq)	NCBI Canis lupus familiaris Annotation Release 105 (CanFam3.1)	O'Leary et al – PubMed <a href="#">26553804</a>	NCBI FTP
	Felis catus	NCBI Genes (RefSeq)	NCBI Felis catus Annotation Release 104 (Felis_catus_9.0)	O'Leary et al – PubMed <a href="#">26553804</a>	NCBI FTP
	Bubalus bubalis	NCBI Genes (RefSeq)	NCBI Bubalus bubalis Annotation Release 101 (UOA_WB_1)	O'Leary et al – PubMed <a href="#">26553804</a>	NCBI FTP
	Homo sapiens	NCBI Genes (RefSeq)	NCBI Homo sapiens Annotation Release 109 (GRCh38.p12)	O'Leary et al – PubMed <a href="#">26553804</a>	NCBI FTP
	Mus musculus	NCBI Genes (RefSeq)	NCBI Mus musculus Annotation Release 106 (GRCm38.p6)	O'Leary et al – PubMed <a href="#">26553804</a>	NCBI FTP
	Rattus norvegicus	NCBI Genes (RefSeq)	NCBI Rattus norvegicus Annotation Release 106 (Rnor_6.0)	O'Leary et al – PubMed <a href="#">26553804</a>	NCBI FTP

Fig. 1: BovineMine Data Sources table





## CHAPTER 9

---

### How to cite

---

FAANGMine is a project supported by the National Science Foundation to address the need for a high performance data mining resource that enables fine-grained querying and integrating the heterogeneous FAANG data with existing information, such as functions of known genes and research datasets.

For more generic examples on how to use InterMine, click [here](#). These are tutorials created by FlyMine that showcase the different features of InterMine.